

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Chae Manufacturing

Address: 23300 US HWY 160
Walsenburg, CO 81089

E Mail: chaeteam@chaemanufacturing.com Phone: 719.695.5555



Customer	Oxzgen, Inc	Customer PO#	5L- PDQ080321
Product #	5L-PDQ Pain Spray 133.4mg 8ml	FG COA Dt	12/16/2021
Product Name	Oxzgen PDQ Pain Spray 133.4mg 8ml	Packaging/Fill Lot#	
Batch #	BT-5L- PDQ080321-2	Finished Lot#	K1010
Manufacturing Date	11/18/2021	Expiration Date	12/14/2023

TEST RESULTS - CHEMISTRY

Claim	Limits	Result	Method
Color	Pink	Pink	CHAE
Appearance	Transparent	Transparent	CHAE
Scent	Menthol/Peppermint	Menthol/Peppermint	CHAE
Viscosity	<200cP	<200 cP	Brookfield
Potency	500mg/oz	customer to test	CHAE
Specific Gravity	.83-.93	pass	CHAE
Water Soluble	Soluble	Soluble	CHAE
Type	Liquid	Liquid	CHAE

COA Created By/Date: Heather Dixon/12/16/2021

COA Verified By/Date: Heather Dixon/12/16/2021

COA Approved By/Date: Heather Dixon/12/16/2021

CERTIFICATE OF COMPLIANCE/RELEASE FOR SHIPPING

Chae Manufacturing certifies that a sample of this product was evaluated, tested to, and found to be in compliance with all the requirements of the purchase order and specified on referenced documents. Chae Manufacturing also certifies that the manufacturing process was carried out according to the Master Batch Record and in compliance with cGMP.

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Chae Manufacturing

Address: 23300 US HWY 160
Walsenburg, CO 81089



E Mail: chaeteam@chaemanufacturing.com Phone: 719.695.5555

Customer	Oxzgen, Inc	Customer PO#	5L- PDQ080321
Product #	5L-PDQ Pain Spray 133.4mg 8ml	FG COA Dt	12/16/2021
Product Name	Oxzgen PDQ Pain Spray 133.4mg 8ml	Packaging/Fill Lot#	
Batch #	BT-5L- PDQ080321-2	Finished Lot#	K1010
Manufacturing Date	11/18/2021	Expiration Date	12/14/2023

TEST RESULTS - MICROBIAL

Date Sampled Received	12/16/2021	Date Sampled Processed	12/16/2021
Date Results Reported	12/16/2021	Report #	
Test	Method	USP SPECS cfu/g	Laboratory Results cfu/g
Total Aerobic Microbial Count	USP42;Section 62 & 1111	<100cfu/g	pass
Total Yeast & Mold Count	USP42;Section 62 & 1111	<100cfu/g	pass

COA Created By/Date: Heather Dixon/12/16/2021

COA Verified By/Date: Heather Dixon/12/16/2021

COA Approved By/Date: Heather Dixon/12/16/2021

COA-Notes

APPROVED

Signature/Authorized Personnel _____ Date _____

CERTIFICATE OF COMPLIANCE/RELEASE FOR SHIPPING

Chae Manufacturing certifies that a sample of this product was evaluated, tested to, and found to be in compliance with all the requirements of the purchase order and specified on referenced documents. Chae Manufacturing also certifies that the manufacturing process was carried out according to the Master Batch Record and in compliance with cGMP.