

RST Analytical, Inc.

1580 Lakeland Avenue, Suite B

Bohemia, NY 11716 | Tel (631) 750-9351 Fax (631) 750-9350



Certificate of Analysis for OXZGEN Solutions & Fulfillment Center

| REPORT AND PRODUCT INFORMATION | | | |
|----------------------------------|---|---------------------|---------------------------------|
| PRODUCT NAME | OXZGEN Immune Boost Capsule | PRODUCT CODE | OXZ004-60 |
| Lot Number | 230002 | DOM: 01/2023 | Expiration Date: 2 Years |
| Item | Specification | Results | Visual – Color |
| Product Description | #00 Clear/Clear vegetable capsule filled with light to dark brown, powder | Conforms | On File |
| Average Total Weight (mg) | 700 mg \pm 10 % | 690.32 mg | |
| Disintegration | NMT 30 min | 12 minutes | |

| Ingredient or Test (per serving) | Label Claim/ Specification | Result (%) | Method | Method of References |
|---|-----------------------------------|--------------------|------------------------|-----------------------------|
| Vitamin C (as Ascorbic Acid) | 100 mg | 107.25 mg (1.725%) | HPLC | In-House |
| Zinc (as Zinc Oxide) | 15 mg | 16.20 mg (108%) | ICP | USP |
| Vitamin D-3 | 10 mcg | 10.0 mcg (100%) | Proper Process Control | MMR |
| S-Acetyl-L-Glutathione | 200 mg | 200 mg (100%) | Proper Process Control | MMR |
| Gamma Aminobutyric Acid (GABA) | 150 mg | 150 mg (100%) | Proper Process Control | MMR |

RST Analytical, Inc.

1580 Lakeland Avenue, Suite B

Bohemia, NY 11716 | Tel (631) 750-9351 Fax (631) 750-9350



Certificate of Analysis for OXZGEN Solutions & Fulfillment Center

| Ingredient or Test (per serving) | Label Claim/ Specification | Result (%) | Method | Method of References |
|----------------------------------|--|---------------|------------------------|----------------------|
| Holy Basil | 200 mg | 200 mg (100%) | Proper Process Control | MMR |
| Elderberry Extract | 150 mg | 150 mg (100%) | Proper Process Control | MMR |
| Hemp Derived Cannabidiol | 25 mg | 25 mg (100%) | Proper Process Control | MMR |
| Other ingredients: | Microcrystalline Cellulose, Magnesium Stearate | | | |

MICROBIOLOGY:

| Analysis | Specification | Result | Method |
|--------------------------|---------------|---------------|----------------------------|
| Total Plate Count | <10,000 cfu/g | <10,000 cfu/g | USP/Proper Process Control |
| Yeast and Mold | <1,000 cfu/g | <1,000 cfu/g | USP/Proper Process Control |
| E.Coli | Negative/ 10g | Negative | USP/Proper Process Control |
| Salmonella | Negative/ 10g | Negative | USP/Proper Process Control |
| S. Aureus | Negative/ 10g | Negative | USP/Proper Process Control |

| Released on Behalf of PuroVite By | Title | Signature | Date |
|-----------------------------------|--------------------------------------|-----------|----------|
| Tarif Gaffar | VP of Quality and Regulatory Affairs | | 01/15/23 |